



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CURRENT STATE SUMMARIES.

California Report for the Week Ended July 14, 1917.

The California State Board of Health reported concerning the status of preventable diseases in California for the week ended July 14, 1917, as follows: The prevalence of cerebrospinal meningitis increased. Six cases were reported in San Diego County, one case each in Oakland, San Francisco, and in Alameda County. There was a sharp increase in typhoid fever. A total of 53 cases was reported, well scattered over the State. Of measles, mumps, and chicken pox, the numbers of cases continued to decrease. Diphtheria cases were slightly reduced.

The details of notifiable disease cases reported in the State during the week ended July 7 are as follows:

Cerebrospinal meningitis.....	4	Mumps.....	101
Chicken pox.....	50	Pellagra.....	1
Diphtheria.....	27	Pneumonia.....	22
Dengue.....	1	Scarlet fever.....	57
Erysipelas.....	7	Smallpox.....	2
German measles.....	35	Syphilis.....	32
Gonococcus infection.....	23	Tuberculosis.....	87
Malaria.....	4	Typhoid fever.....	21
Measles.....	184	Whooping cough.....	38

ANTHRAX.

Massachusetts.

During the month of June, 1917, 9 cases of anthrax were notified in the State of Massachusetts.

CEREBROSPINAL MENINGITIS.

Kansas.

During the period of two weeks ended July 14, 1917, cases of cerebrospinal meningitis were notified in Kansas as follows: Two at Kansas City, one each at Independence and Leeds.

CEREBROSPINAL MENINGITIS—Continued.

State Reports for June, 1917.

Place.	New cases reported.	Place.	New cases reported.
District of Columbia.....	3	Massachusetts—Continued.	
Maryland:		Suffolk County—	
Baltimore City.....	23	Boston.....	6
Baltimore County—		Chelsea.....	2
Gardenville.....	2	Worcester County—	
Sparrows Point.....	1	Templeton.....	1
Total.....	26	Worcester.....	2
Massachusetts:		Total.....	36
Berkshire County—		West Virginia:	
Pittsfield.....	6	Marshall County—	
Essex County—		Moundsville.....	1
Beverly.....	4	Wisconsin:	
Gloucester.....	1	Bayfield County.....	1
Lawrence.....	1	Douglas County.....	1
Hampden County—		Kenosha County.....	1
Chicopee.....	1	Manitowoc County.....	3
Springfield.....	7	Milwaukee County.....	9
Palmer.....	1	Racine County.....	1
Middlesex County—		Sheboygan County.....	1
Dracut.....	1	Trempealeau County.....	1
Lowell.....	1	Winnebago County.....	1
Maynard.....	1	Total.....	19
Watertown.....	1		

Virginia Report for May, 1917.

Place.	New cases reported.	Place.	New cases reported.
Virginia:		Virginia—Continued.	
Appomattox County.....	1	Orange County.....	2
Buchanan County.....	1	Pulaski County.....	1
Charlotte County.....	1	Rockbridge County—	
Franklin County.....	1	Buena Vista.....	1
Grayson County.....	1	Russell County.....	2
Greene County.....	1	Warren County.....	1
Hanover, County.....	2	Total.....	16
Lunenburg County.....	1		

City Reports for Week Ended June 30, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Akron, Ohio.....	1	Nashville, Tenn.....	1	1
Albany, N. Y.....	1	Newark, N. J.....	1
Altoona, Pa.....	1	New Britain, Conn.....	1	2
Baltimore, Md.....	3	New London, Conn.....	1	1
Boston, Mass.....	4	2	Newport, R. I.....	1	1
Buffalo, N. Y.....	1	1	New York, N. Y.....	5	4
Chicago, Ill.....	6	3	Philadelphia, Pa.....	7	2
Cleveland, Ohio.....	4	Pittsburgh, Pa.....	5	5
Dayton, Ohio.....	1	1	Pittsfield, Mass.....	1
Dubuque, Iowa.....	1	1	Plainfield, N. J.....	1	1
Duluth, Minn.....	2	Providence, R. I.....	3	1
El Paso, Tex.....	1	Quincy, Ill.....	1	1
Hartford, Conn.....	3	2	Rochester, N. Y.....	1	1
Kansas City, Mo.....	3	St. Louis, Mo.....	3	3
Kokomo, Ind.....	1	San Diego, Cal.....	1	1
Lincoln, Nebr.....	1	San Francisco, Cal.....	3	2
Madison, Wis.....	1	1	Springfield, Mass.....	3	1
McKeesport, Pa.....	1	Wilkes-Barre, Pa.....	1
Minneapolis, Minn.....	10			

DIPHTHERIA.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 1165.

DYSENTERY.**Arkansas, Missouri, and Tennessee.**

Passed Asst. Surg. Ridlon reported July 13 and 17, 1917, concerning the outbreak of dysentery in Mississippi County, Ark., and vicinity as follows: The epidemic of dysentery is rapidly decreasing in this vicinity. The virulence of the infection is much lessened, and it is difficult to find acute cases. There are no official records of cases or deaths. Have epidemiological histories of 75 cases, and 300 case reports from six physicians. The disease is most prevalent in outlying districts, and has also been reported prevalent in southern Missouri and western Tennessee. The disease has been reported prevalent in Mississippi County, and adjacent counties in Arkansas, and in Dunklin, New Madrid, Scott, and Stoddard Counties, Mo.

ERYSIPELAS.**City Reports for Week Ended June 30, 1917.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Baltimore, Md.....		1	Lynchburg, Va.....		1
Birmingham, Ala.....	1		McKeesport, Pa.....	1	
Boston, Mass.....		2	Milwaukee, Wis.....	3	
Buffalo, N. Y.....	1		Newark, N. J.....	6	
Cambridge, Mass.....		1	New York, N. Y.....		6
Chicago, Ill.....	13	6	Northampton, Mass.....		1
Cincinnati, Ohio.....	2		Oakland, Cal.....	1	
Cleveland, Ohio.....	5	3	Orange, N. J.....		1
Dayton, Ohio.....	2		Philadelphia, Pa.....	1	
Denver, Colo.....	2		Pittsburgh, Pa.....	3	
Detroit, Mich.....	5		Racine, Wis.....		1
Duluth, Minn.....	1		Rochester, N. Y.....	3	1
Harrisburg, Pa.....	1		St. Louis, Mo.....	13	1
Jackson, Mich.....	1		San Francisco, Cal.....	1	
Kalamazoo, Mich.....	1		Seattle, Wash.....	1	
Lancaster, Pa.....	1		Wilkinsburg, Pa.....	1	
Los Angeles, Cal.....	5				

LEPROSY.**California—Los Angeles.**

A case of leprosy was reported July 13, 1917, in a Japanese woman at Los Angeles, Cal., where the patient has resided one year.

MALARIA.

State Reports for June, 1917.

Place.	New cases reported.	Place.	New cases reported.
Maryland:		Massachusetts:	
Charles County—		Bristol County—	
Bel Alton, R. D.	1	Fall River	1
La Plata	1	Norfolk County—	
Port Tobacco	1	Brookline	1
White Plains, R. D.	1	Dedham	3
Harford County—		Plymouth County—	
Abingdon	1	Brockton	1
Prince Georges County—		Suffolk County—	
Accokeek, R. D.	1	Boston	5
Piscataway, R. D.	1	Franklin County—	
Wicomico County—		Erving	4
Clara	1	Montague	1
Rockawalking	1		
Salisbury	2	Total	16
Total	11		

Virginia Report for May, 1917.

Place.	New cases reported.	Place.	New cases reported.
Virginia:		Virginia—Continued.	
Accomac County	6	Loudoun County	1
Chincoteague	10	Leesburg	3
Greenbackville	1	Louisa County	4
Albemarle County	3	Lunenburg County	6
Alexandria County	2	Victoria	2
Alleghany County—		Mathews County	1
Clifton Forge	1	Mecklenburg County	9
Amelia County	1	Clarksville	1
Appomattox County	1	Middlesex County	3
Augusta County	2	Montgomery County	2
Bedford County	1	Christiansburg	1
Brunswick County	20	Nansemond County	8
Buckingham County	1	Suffolk	22
Campbell County	1	Nelson County	1
Altavista	2	New Kent County	6
Brookneal	1	Norfolk County	21
Caroline County	19	Northampton County	16
Carroll County	1	Cape Charles	1
Charles City County	2	Northumberland County	7
Chesterfield County	1	Nottoway County	1
Winterpock	3	Blackstone	1
Clarke County	1	Orange County	1
Cumberland County	4	Page County	2
Dinwiddie County	12	Pittsylvania County	35
Elizabeth City County	1	Powhatan County	12
Phoebe	2	Princess Anne County	28
Essex County	4	Prince Edward County	4
Fairfax County	1	Farmville	3
Floyd County	1	Prince George County	12
Fluvanna County	1	Prince William County	3
Gloucester County	6	Richmond County	1
Greensville County	11	Rockingham County	1
Emporia	13	Dayton	1
North Emporia	5	Russell County	2
Halifax County	16	Scott County	3
Houston	2	Southampton County	23
South Boston	10	Franklin	3
Hanover County	9	Spottsylvania County	4
Henrico County	14	Fredericksburg	2
Richmond	1	Stafford County	1
Isle of Wight County	22	Surry County	14
Smithfield	4	Sussex County	12
James City County	2	Warwick County	10
Williamsburg	1	Washington County—	
King and Queen County	4	Damascus	1
King William County	1	Westmoreland County	2
West Point	2	York County	8
Lancaster County	2		
Irrington	11	Total	548
Lee County	1		

MALARIA—Continued.**City Reports for Week Ended June 30, 1917.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Berkeley, Cal.	1	New Orleans, La.	1
Birmingham, Ala.	19	Orange, N. J.	1
Charleston, S. C.	1	San Francisco, Cal.	1
Kansas City, Mo.	1	Sacramento, Cal.	2
Memphis, Tenn.	1	Savannah, Ga.	5	1
Newark, N. J.	1			

¹ The reason that Birmingham had so many more cases of malaria reported than any other city is not that the disease is more prevalent in Birmingham than in other cities of Alabama and neighboring States, but undoubtedly because of the successful efforts the health department has made in securing the cooperation of the practicing physicians in reporting cases.

MEASLES.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 1165.

PELLAGRA.**State Reports for June, 1917.**

Place.	New cases reported.	Places.	New cases reported.
District of Columbia	3	Massachusetts—Continued.	
Maryland:		Essex County—	
Allegany County—		Danvers	1
Western Maryland Hospital	1	Lynn	1
Charles County—		Middlesex County—	
Bolton, R. D.	1	Somerville	1
Dorchester County—		Suffolk County—	
Fishing Creek	1	Chelsea	1
Washington County—		Worcester County—	
Hagerstown	1	Worcester	1
Wicomico County—		Total	7
Nanticoke	1		
Total	5	West Virginia:	
Massachusetts:		Lewis County—	
Bristol County—		State Insane Hospital	2
Taunton	2		

Virginia Report for May, 1917.

Place.	New cases reported.	Place.	New cases reported.
Virginia:		Virginia—Continued.	
Accomac County	1	Hanover County	2
Albemarle County	1	Henry County	2
Amelia County	1	James City County	2
Amherst County	1	Williamsburg	1
Amherst	1	King and Queen County	1
Augusta County	2	Mecklenburg County	2
Campbell County	1	Pittsylvania County	1
Carroll County	2	Rockbridge County—	
Charlotte County	2	Buena Vista	1
Chesterfield County	4	Russell County	1
Culpeper County	1	Scott County	1
Dinwiddie County	4	Smyth County	3
Greene County	1	Washington County—	
Greensville County—		Damascus	1
Emporia	1	Wise County	1
North Emporia	1	York County	1
Halifax County	2	Total	48
South Boston	2		

PELLAGRA—Continued.

City Reports for Week Ended June 30, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Birmingham, Ala.....	18	Mobile, Ala.....	2	2
Galveston, Tex.....	1	Nashville, Tenn.....	1	1
Kalamazoo, Mich.....	1	1	New Orleans, La.....	1
Kansas City, Mo.....	1	Savannah, Ga.....	3
Memphis, Tenn.....	2			

¹ The reason that Birmingham had so many more cases of pellagra reported than any other city is not that the disease is more prevalent in Birmingham than in other cities of Alabama and neighboring States, but undoubtedly because of the successful efforts the health department has made in securing the cooperation of the practicing physicians in reporting cases.

PLAGUE.

California—Alameda County—Plague-Infected Squirrels Found.

On June 29, 1917, a plague-infected ground squirrel was found on the H. B. Goechen ranch, 3 miles west of Altamont, Alameda County, Cal.

California—San Benito County—Plague-Infected Squirrel Found.

During the period from June 22 to 28, 1917, plague-infected ground squirrels were found in San Benito County, Cal., as follows: Two on the Blanchard & Whitman ranch, 3 miles south of Hollister, and one on Dooling brothers' ranch, 7 miles northeast of Hollister.

PNEUMONIA.

City Reports for Week Ended June 30, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Atlantic City, N. J.....	1	3	Lexington, Ky.....	2	1
Baltimore, Md.....	2	12	Los Angeles, Cal.....	4	3
Boston, Mass.....	4	7	McKeesport, Pa.....	1	1
Cambridge, Mass.....	1	Morristown, N. J.....	1	1
Chicago, Ill.....	61	51	Newark, N. J.....	11	3
Cleveland, Ohio.....	22	17	New Bedford, Mass.....	1	2
Detroit, Mich.....	1	14	Oakland, Cal.....	1	1
Duluth, Minn.....	1	Philadelphia, Pa.....	30	22
Everett, Mass.....	1	1	Pittsburgh, Pa.....	12	14
Fall River, Mass.....	1	1	Rochester, N. Y.....	5
Flint, Mich.....	3	1	San Diego, Cal.....	2	2
Grand Rapids, Mich.....	3	San Francisco, Cal.....	17	7
Haverhill, Mass.....	2	Somerville, Mass.....	1	3
Kalamazoo, Mich.....	1	1	Toledo, Ohio.....	1	3
Lawrence, Mass.....	1			

POLIOMYELITIS (INFANTILE PARALYSIS.)

Kansas—Kansas City.

During the week ended July 14, 1917, one case of poliomyelitis was notified at Kansas City, Kans.

Massachusetts—Haverhill.

At Haverhill, Mass., cases of poliomyelitis were notified as follows: One case each on July 10 and 11, two cases July 17.

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.**Missouri—Columbia.**

On July 13, 1917, three cases of poliomyelitis were notified from Columbia, Mo.

Vermont.

During the week ended July 14, 1917, cases of poliomyelitis were notified in Vermont as follows: Montpelier 8, Waterbury 2, Barre (town) 1, East Montpelier 1, Worcester 2, Duxbury 1, Rochester 2.

Virginia—Theological Seminary.

On July 14, 1917, a case of poliomyelitis was reported from Theological Seminary, Alexandria County, Va.

West Virginia.

During the week ended July 14, 1917, four cases of poliomyelitis were notified in the State of West Virginia, two of which were in Marion County, one in Jackson County, and one in Ohio County.

Wisconsin—Cottage Grove.

On July 1, 1917, one case of poliomyelitis was notified at Cottage Grove, Dane County, Wis.

State Reports for June, 1917.

Place.	New cases reported.	Place.	New cases reported.
Maryland:		Vermont:	
Garrett County—		Orange County.....	2
Deer Park.....	1	Washington County.....	31
Jennings.....	1	Total.....	33
Total.....	2		
Massachusetts:		West Virginia:	
Essex County—		Tucker County—	
Amesbury.....	1	Benbush.....	1
Haverhill.....	5		
Hampden County—		Wisconsin:	
Springfield.....	1	Juneau County.....	1
Middlesex County—		La Crosse County.....	1
Cambridge.....	2	Manitowoc County.....	1
Suffolk County—		Milwaukee County.....	1
Boston.....	2	Shawano County.....	1
Worcester County—		Total.....	5
Sutton.....	1		
Worcester.....	3		
Total.....	15		

Idaho Reports for January and February, 1917.

During the month of January, 1917, 1 case of poliomyelitis was reported at Twin Falls, Twin Falls County, Idaho, and in February 2 cases were reported at Payette, Canyon County, Idaho.

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.**Virginia Report for May, 1917.**

During the month of May, 1917, cases of poliomyelitis were notified in Virginia as follows: One case each in Bath, Campbell, and Craig Counties.

City Reports for Week Ended June 30, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Akron, Ohio.....	3	Los Angeles, Cal.....	1
Boston, Mass.....	1	Newark, N. J.....	2
East Orange, N. J.....	1	New York, N. Y.....	9	2
Haverhill, Mass.....	1	Philadelphia, Pa.....	1
Jersey City, N. J.....	2	Wheeling, W. Va.....	1	1
Kansas City, Kans.....	1			

RABIES IN MAN.**Tennessee—Memphis.**

During the week ended June 23, 1917, a fatal case of rabies was notified at Memphis, Tenn. The health officer of Memphis was unable to secure a history of the case as to the manner of infection or the attendant circumstances prior to the development of the disease.

City Report for Week Ended June 30, 1917.

During the week ended June 30, 1917, 1 case of rabies in man was reported at Cincinnati, Ohio.

RABIES IN ANIMALS.**City Reports for Week Ended June 30, 1917.**

During the week ended June 30, 1917, one case of rabies in animals was reported at Detroit, Mich., and two cases at Kansas City, Mo.

SCARLET FEVER.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 1165.

SMALLPOX.**Minnesota.**

During the week ended July 14, 1917, four new foci of smallpox infection were reported in Minnesota, cases of the disease having been notified as follows: Carver County, Chanhassen Township, 2; Kittson County, Karlstad, 1; Mower County, Lyle Township, 9; Scott County, Glendale Township, 1.

SMALLPOX—Continued.

State Reports for June, 1917.

Place.	New cases reported.	Deaths.	Vaccination history of cases.			
			Number vaccinated within 7 years preceding attack.	Number last vaccinated more than 7 years preceding attack.	Number never successfully vaccinated.	Vaccination history not obtained or uncertain.
Maryland:						
Baltimore County—						
Baltimore.....	1				1	
Massachusetts:						
Worcester County—						
Blackstone (Town).....	1			1		
Fitchburg.....	2			2		
Shrewsbury.....	2		2			
Webster.....	1		1			
Worcester.....	4	2	1	1	2	
Total.....	10	2	4	4	2	

Miscellaneous State Reports.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Idaho (May 1-31):			Virginia—Continued.		
Bannock County—			Isle of Wight County.....	27	
Pocatello.....	5		Northampton County.....	9	
Vermont (June 1-30):			Prince George County.....	4	
Chittenden County.....	1		Richmond County.....	1	
Rutland County.....	1		Stafford County.....	3	
Washington County.....	6		Total.....	105	
Total.....	8		Wisconsin (June 1-30):		
West Virginia (June 1-30):			Barron County.....	6	
Barbour County.....	1		Brown County.....	1	
Hancock County.....	1		Chippewa County.....	1	
Kanawha County.....	1		Clark County.....	1	
McDowell County.....	2		Dane County.....	14	
Marshall County.....	2		Douglas County.....	1	
Marion County.....	2		Green County.....	2	
Mason County.....	1		Jackson County.....	1	
Mingo County.....	1		Juneau County.....	2	
Ohio County.....	2		Kenosha County.....	6	
Putnam County.....	1		La Crosse County.....	4	
Wood County.....	8		Manitowoc County.....	1	
Total.....	22		Marathon County.....	7	
Virginia (May 1-31):			Milwaukee County.....	23	
Accomac County.....	6		Portage County.....	3	
Botetourt County—			Racine County.....	1	
Troutville.....	1		Rock County.....	12	
Carroll County.....	40		St. Croix County.....	5	
Grayson County.....	13		Sawyer County.....	1	
Halifax County—			Wood County.....	2	
Houston.....	1		Total.....	94	

SMALLPOX—Continued.

City Reports for Week Ended June 30, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Akron, Ohio.....	3	Memphis, Tenn.....	3
Alton, Ill.....	1	Minneapolis, Minn.....	22
Butte, Mont.....	1	Muscatine, Iowa.....	1
Chicago, Ill.....	13	New Britain, Conn.....	1
Cleveland, Ohio.....	5	New Orleans, La.....	1
Coffeyville, Kans.....	2	New York, N. Y.....	1
Columbus, Ohio.....	1	Norfolk, Va.....	1
Danville, Ill.....	2	Oakland, Cal.....	1
Denver, Colo.....	1	Oklahoma City, Okla.....	7
Detroit, Mich.....	5	Omaha, Nebr.....	12
Dubuque, Iowa.....	1	Pontiac, Mich.....	4
Duluth, Minn.....	3	Quincy, Ill.....	5
Flint, Mich.....	6	Racine, Wis.....	1
Fort Worth, Tex.....	2	St. Louis, Mo.....	9
Galesburg, Ill.....	1	Salt Lake City, Utah.....	6
Grand Rapids, Mich.....	1	Sioux City, Iowa.....	9
Indianapolis, Ind.....	12	Springfield, Ohio.....	2
Jackson, Mich.....	2	Tacoma, Wash.....	6
Kansas City, Kans.....	3	Toledo, Ohio.....	2
Kansas City, Mo.....	20	Topeka, Kans.....	1
La Crosse, Wis.....	2	Wichita, Kans.....	3
Lincoln, Nebr.....	2	Zanesville, Ohio.....	1
Los Angeles, Cal.....	1			

TETANUS.

City Reports for Week Ended June 30, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Birmingham, Ala.....	1	1	Mobile, Ala.....	2
Charleston, S. C.....	1	Omaha, Nebr.....	1
Chicago, Ill.....	2	1	Philadelphia, Pa.....	1
Dayton, Ohio.....	1	Pittsburgh, Pa.....	1
Kansas City, Mo.....	1	Savannah, Ga.....	1

TUBERCULOSIS.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 1165.

TYPHOID FEVER.

State Reports for June, 1917.

Place.	New cases reported.	Place.	New cases reported.
District of Columbia.....	15	Maryland—Continued.	
Maryland:		Baltimore County—Continued.	
Allegany County—		Roland Park.....	1
Morantown.....	1	Relay Sanitarium.....	1
Barton.....	1	Cecil County—	
Western Maryland Hospital.....	1	Rising Sun, R. D.....	1
Allegany Hospital.....	1	Charles County—	
Anne Arundel County—		Pomfret, R. D.....	1
McKendree.....	1	White Plains.....	1
Sudley.....	1	Hughesville, R. D.....	1
Glenburnie.....	1	Dorchester County—	
Baltimore City.....	17	Lakesville, R. D.....	1
Baltimore County—		Toddville.....	1
Woodlawn.....	1	Hurlock, R. D.....	1
Highlandtown.....	1	Frederick County—	
Hillsdale.....	1	Middletown.....	1
Fullerton.....	1	Maryland School for the Deaf.....	1
Sheppard Pratt Hospital.....	1	Garrett County—	
Lutherville.....	1	Bloomington.....	1
Towson.....	1	Harford County—	
Hoffmansville, R. D.....	1	Joppa, R. D.....	1

TYPHOID FEVER—Continued.

State Reports for June, 1917—Continued.

Place.	New cases reported.	Place.	New cases reported.
Maryland—Continued.		Massachusetts—Continued.	
Howard County—		Hampden County—	
Ellicott City.....	1	Brimfield.....	1
Simpsonville.....	1	Holyoke.....	1
Kent County—		Ludlow.....	1
Betterton, R. D.....	1	Russell.....	1
Galena, R. D.....	1	Springfield.....	3
Montgomery County—		Middlesex County—	
Bethesda.....	2	Cambridge.....	6
Takoma Park.....	1	Chelmsford.....	1
Cabin John, R. D.....	1	Everett.....	3
Brighton.....	1	Lowell.....	4
Friendship Heights.....	1	Malden.....	1
Prince George County—		Somerville.....	1
House of Reformation.....	1	Waltham.....	1
Landover.....	1	Watertown.....	1
Croom Station.....	1	Norfolk County—	
Bladensburg.....	1	Braintree.....	1
Buena Vista, R. D.....	1	Brookline.....	1
Piscataway, R. D.....	1	Quincy.....	1
Seat Pleasant.....	1	Stoughton.....	2
Queen Annes County—		Plymouth County—	
Hayden, R. D.....	1	Brockton.....	1
Somerset County—		Wareham.....	1
Pocomoke City, R. D.....	1	Suffolk County—	
St. Marys County—		Boston.....	11
Chaptico.....	1	Chelsea.....	2
Washington County—		Revere.....	3
Hancock.....	2	Worcester County—	
Hagerstown.....	4	Southbridge.....	5
Hancock, R. D.....	1	Sterling.....	1
Dargan.....	1	Total.....	105
Wicomico County—			
Fruitland.....	1	Vermont:	
Worcester County—		Addison County.....	1
Girdletree.....	1	Franklin County.....	1
Snow Hill R. D.....	2	Orleans County.....	1
Stockton.....	5	Rutland County.....	3
Snow Hill.....	2	Total.....	6
Berlin, R. D.....	1		
Welbourne.....	2	West Virginia:	
Total.....	87	Kanawha County—	
Massachusetts:		Charleston.....	79
Berkshire County—		Dunbar.....	10
Adams.....	1	Lewis County.....	2
Hinsdale.....	2	McDowell County.....	1
North Adams.....	1	Marion County.....	3
Pittsfield.....	1	Raleigh County.....	1
Bristol County—		Randolph County.....	1
Attleborough.....	1	Total.....	97
Fall River.....	24		
Taunton.....	2	Wisconsin:	
Essex County—		Dane County.....	1
Andover.....	1	Dodge County.....	1
Beverly.....	1	Douglas County.....	5
Danvers.....	1	Fond du Lac County.....	1
Gloucester.....	1	Juneau County.....	1
Haverhill.....	1	Kenosha County.....	1
Ipswich.....	1	Marinette County.....	1
Lawrence.....	2	Milwaukee County.....	9
Lynn.....	3	Sheboygan County.....	1
Marblehead.....	3	Waukesha County.....	1
Middleton.....	1	Waupaca County.....	1
Peabody.....	1	Total.....	23
Salem.....	1		
Franklin County—			
Ashfield.....	1		

Idaho.

During the month of January, 1917, 1 case of typhoid fever was reported at Wallace; in March, 8 cases at Harrison; in April, 17 cases at Harrison; and in May, 1 case at Pocatello.

TYPHOID FEVER—Continued.

Virginia Report for May, 1917.

Place.	Newcases reported.	Place.	New cases reported.
Virginia:		Virginia—Continued.	
Accomac County.....	2	Lee County.....	2
Chincoteague.....	1	Lunenburg County.....	2
Greenbackville.....	1	Middlesex County.....	1
Albemarle County.....	1	Nansemond County—	
Alleghany County—		Suffolk.....	1
Clifton Forge.....	1	Norfolk County—	
Amelia County.....	1	Norfolk.....	1
Augusta County.....	1	Orange County.....	1
Basic City.....	1	Page County.....	1
Bedford County.....	1	Shenandoah.....	1
Bedford City.....	2	Powhatan County.....	1
Botetourt County.....	2	Prince George County.....	2
Buchanan County.....	2	Prince William County—	
Campbell County.....	3	Potomac.....	1
Lynchburg.....	1	Roanoke County—	
Carroll County.....	2	Roanoke.....	1
Clarke County.....	1	Vinton.....	1
Culpeper County.....	2	Rockingham County.....	2
Culpeper.....	1	Russell County.....	2
Dickenson County.....	1	Honaker.....	1
Elizabeth City County—		Scott County.....	1
Phoebus.....	4	Shenandoah County.....	3
Essex County.....	1	Southampton County.....	2
Tappahannock.....	1	Tazewell County.....	1
Floyd County.....	2	Graham.....	4
Fluvanna County.....	2	Warren County.....	1
Franklin County.....	1	Wise County—	
Halifax County.....	2	Appalachia.....	2
South Boston.....	2	St. Paul.....	2
Hanover County.....	1	Wythe County.....	1
Isle of Wight County.....	2		
Lancaster County.....	1	Total.....	84

City Reports for Week Ended June 30, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Baltimore, Md.....	3	1	Nashville, Tenn.....	9	..
Birmingham, Ala.....	21	2	Newark, N. J.....	2	..
Brookline, Mass.....	1	..	New Orleans, La.....	13	6
Buffalo, N. Y.....	2	2	New York, N. Y.....	20	4
Cambridge, Mass.....	3	..	Niagara Falls, N. Y.....	1	..
Camden, N. J.....	1	..	Pasadena, Cal.....	..	1
Charleston, S. C.....	14	1	Philadelphia, Pa.....	10	6
Chicago, Ill.....	7	..	Pittsburgh, Pa.....	6	1
Cincinnati, Ohio.....	2	..	Pittsfield, Mass.....	1	..
Cleveland, Ohio.....	4	1	Plainfield, N. J.....	2	..
Columbus, Ohio.....	2	..	Pontiac, Mich.....	1	..
Dayton, Ohio.....	2	2	Portsmouth, Va.....	1	..
Denver, Colo.....	2	..	Providence, R. I.....	8	1
Detroit, Mich.....	18	1	Richmond, Va.....	1	..
Duluth, Minn.....	3	..	Roanoke, Va.....	1	..
Elgin, Ill.....	1	..	Rocky Mount, N. C.....	1	..
El Paso, Tex.....	1	2	St. Louis, Mo.....	8	..
Evansville, Ind.....	2	..	Salt Lake City, Utah.....	6	..
Fall River, Mass.....	6	1	San Diego, Cal.....	1	..
Flint, Mich.....	2	1	San Francisco, Cal.....	5	..
Fort Wayne, Ind.....	2	1	Sacramento, Cal.....	1	..
Galveston, Tex.....	1	..	Saratoga Springs, N. Y.....	1	..
Grand Rapids, Mich.....	1	1	Savannah, Ga.....	..	1
Hartford, Conn.....	3	..	Seattle, Wash.....	2	1
Indianapolis, Ind.....	2	..	South Bend, Ind.....	3	..
Kenosha, Wis.....	1	1	Springfield, Mass.....	1	..
Lexington, Ky.....	2	..	Springfield, Ohio.....	1	..
Lincoln, Nebr.....	..	1	Steubenville, Ohio.....	2	..
Little Rock, Ark.....	1	..	Toledo, Ohio.....	3	1
Long Branch, N. J.....	2	..	Topeka, Kans.....	1	1
Los Angeles, Cal.....	1	..	Troy, N. Y.....	1	..
Lynchburg, Va.....	4	1	Wheeling, W. Va.....	1	..
Memphis, Tenn.....	8	1	Wilkinsburg, Pa.....	1	..
Milwaukee, Wis.....	4	1	Wilmington, Del.....	1	..
Minneapolis, Minn.....	3	..	Winston-Salem, N. C.....	10	1
Mobile, Ala.....	5	1	Zanesville, Ohio.....	1	..

TYPHUS FEVER.**Utah—Ogden.**

During the week ended June 30, 1917, 2 cases of typhus fever, with 2 deaths, were reported at Ogden, Utah.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.**State Reports for June, 1917.**

State.	Cases reported.			State.	Cases reported.		
	Diphtheria.	Measles.	Scarlet fever.		Diphtheria.	Measles.	Scarlet fever.
Dist. of Columbia..	18	572	28	Vermont.....	26	905	37
Maryland.....	55	1,648	66	West Virginia.....	16	115	7
Massachusetts.....	793	3,786	413	Wisconsin.....	159	1,143	472

Idaho.

Two hundred and nineteen cases of measles and 2 cases of scarlet fever were reported in Idaho in January, 1917; 1 case of diphtheria, 63 cases of measles, and 30 cases of scarlet fever in February; 1 case of diphtheria, 30 cases of measles, and 6 cases of scarlet fever in March; 2 cases of diphtheria, 19 cases of measles, and 13 cases of scarlet fever in April; and 2 cases of diphtheria, 15 cases of measles, and 4 cases of scarlet fever in May.

Virginia Report for May, 1917.

During the month of May, 1917, 81 cases of diphtheria, 2,206 cases of measles, and 33 cases of scarlet fever were reported in Virginia.

City Reports for Week Ended June 30, 1917.

City.	Popula- tion as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants:										
Baltimore, Md.	589,621	196	5	8	115	5	7	2	21	24
Boston, Mass.	756,476	242	70	18	183	8	29	2	146	27
Chicago, Ill.	2,497,722	664	176	19	447	8	165	11	251	84
Cleveland, Ohio.	674,073	182	25	1	46	13	39	24
Detroit, Mich.	571,784	190	74	9	25	62	2	77	24
Los Angeles, Cal.	503,812	12	2	55	14	61	18
New York, N. Y.	5,602,841	1,266	282	23	665	18	100	3	354	201
Philadelphia, Pa.	1,703,518	497	49	6	158	3	15	112	63
Pittsburgh, Pa.	579,090	1 176	19	150	1	5	1	25	11
St. Louis, Mo.	757,309	216	47	3	49	1	45	1	55	17
From 300,000 to 500,000 inhab- itants:										
Buffalo, N. Y.	468,558	142	20	1	26	7	1	14	15
Cincinnati, Ohio.	410,476	21	1	10	1	3	37	16
Jersey City, N. J.	306,345	84	9	1	28	1	10	23	10
Milwaukee, Wis.	436,535	98	19	1	66	41	2	16	6
Minneapolis, Minn.	363,454	9	20	1
Newark, N. J.	408,894	76	20	55	16	41	9
New Orleans, La.	371,747	153	4	2	26	30
San Francisco, Cal.	463,516	136	7	1	26	13	29	17
Seattle, Wash.	348,639	40	6	1	33	6	25	3

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended June 30, 1917—Continued.

City.	Popula- tion as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.		
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	
From 200,000 to 300,000 inhabit- ants:											
Columbus, Ohio.....	214, 878	63	3	1	3		14		7	4	
Denver, Colo.....	260, 800	44	4		17		2			13	
Indianapolis, Ind.....	271, 708		16		56		13		16		
Kansas City, Mo.....	297, 847	84	5		5		6			7	
Portland, Oreg.....	295, 463	40	3		9		7		10	2	
Providence, R. I.....	254, 960	75	9	1	2				2	9	
Rochester, N. Y.....	256, 417	63	6		107	2	15		9	3	
From 100,000 to 200,000 inhabit- ants:											
Albany, N. Y.....	104, 199				19		8		7		
Birmingham, Ala.....	181, 762	96			21		2		107	6	
Bridgeport, Conn.....	121, 579	38	2		6	1	3		5	2	
Cambridge, Mass.....	112, 981		9	1	20	1	2		7	4	
Camden, N. J.....	106, 233		3		13		1		1		
Dayton, Ohio.....	127, 224	52	4		19		2		5	3	
Fall River, Mass.....	128, 366	35	1	1	24	1	2		6	4	
Fort Worth, Tex.....	104, 562	30	2				1		1		
Grand Rapids, Mich.....	128, 291	29	8	1	21		2		9	1	
Hartford, Conn.....	110, 900	48	9		11		3		5	2	
Lawrence, Mass.....	100, 560	15	4				1		4	3	
Lowell, Mass.....	113, 245	20	24		1		2		8	2	
Lynn, Mass.....	102, 425	17								3	
Memphis, Tenn.....	148, 995	59	1		7		1		19	10	
Nashville, Tenn.....	117, 057	56				1			5	5	
New Bedford, Mass.....	118, 158	15	2		39				10	2	
New Haven, Conn.....	149, 685		3		20	1			5	3	
Oakland, Cal.....	198, 604	34	1				4		2	1	
Omaha, Nebr.....	165, 470	44	1		23		9			5	
Reading, Pa.....	109, 381	23	6		2		7		9	3	
Richmond, Va.....	156, 687	68	1		5		2		8	3	
Salt Lake City, Utah.....	117, 339	21			4		15	1		1	
Springfield, Mass.....	105, 942	43	2		7		8		3	4	
Syracuse, N. Y.....	155, 624	40	1		40		13		2	2	
Tacoma, Wash.....	112, 770						1				
Toledo, Ohio.....	191, 554	76	5	1	7		18			10	
Trenton, N. J.....	111, 593	32	3		1				9	1	
Worcester, Mass.....	163, 314	55	4		12		4		11	3	
From 50,000 to 100,000 inhabit- ants:											
Akron, Ohio.....	85, 625		19		8		2				
Allentown, Pa.....	63, 505	14	3				1				
Altoona, Pa.....	58, 659		2		3						
Atlantic City, N. J.....	57, 660		1		17				4		
Bayonne, N. J.....	69, 893						2		4		
Berkeley, Cal.....	57, 653	11			4		2				
Binghamton, N. Y.....	53, 973	24	5	3	23		2			1	
Brockton, Mass.....	67, 449	8					4		4	1	
Canton, Ohio.....	60, 852	19	1		2		2		1	1	
Charleston, S. C.....	60, 734	23	1	1						2	
Covington, Ky.....	57, 144	19	2		2		1	1	7	1	
Duluth, Minn.....	94, 495	13	3		28		5		5		
Elizabeth, N. J.....	86, 690	23	11	1			2		5	1	
El Paso, Tex.....	63, 705	70	1		3	5				6	
Erie, Pa.....	75, 195		1		3		11		7	29	
Evansville, Ind.....	76, 078	23			5		1		4	2	
Flint, Mich.....	54, 772	17			13		13		1	1	
Fort Wayne, Ind.....	76, 183	15	1		5		1		5	2	
Harrisburg, Pa.....	72, 015	19			2		7		3		
Hoboken, N. J.....	77, 214	12	3		4		2		3		
Johnstown, Pa.....	68, 529	21			13		2	1		1	
Kansas City, Kans.....	99, 437		2		2		1		3	1	
Lancaster, Pa.....	50, 853				17				5		
Little Rock, Ark.....	57, 343	16									
Malden, Mass.....	51, 155	10	3	2	27		1		1		
Manchester, N. H.....	78, 283	19									
Mobile, Ala.....	58, 221	23	1		4				1	2	
New Britain, Conn.....	53, 794	8			1		1				
Norfolk, Va.....	89, 612		1		2						
Oklahoma City, Okla.....	92, 943	25									

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended June 30, 1917—Continued.

City.	Popula- tion as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 50,000 to 100,000 inhabit- ants—Continued.										
Passaic, N. J.	71,744	20	34		1				5	3
Pawtucket, R. I.	59,411	20	3							
Sacramento, Cal.	66,895	15	4		8				2	
San Diego, Cal.	53,330	20			22		1		2	2
Savannah, Ga.	68,805	36								5
Sioux City, Iowa.	57,078						4			
Somerville, Mass.	87,039	19	3		17		1		8	
South Bend, Ind.	68,946	17	1	1	10		6		1	
Springfield, Ill.	61,120	13	2		13					
Springfield, Ohio.	51,550	17			5		3			1
Terre Haute, Ind.	66,083	21			3					1
Troy, N. Y.	77,916		3		5		2		1	4
Wichita, Kans.	70,722		1		2					
Wilkes-Barre, Pa.	76,776	14			36		1		11	
Wilmington, Del.	94,265	36			2					
York, Pa.	51,656								2	
From 25,000 to 50,000 inhabit- ants:										
Alameda, Cal.	27,732	5			1		4		2	
Auburn, N. Y.	37,385	10					1		2	
Brookline, Mass.	32,730	6	1		11				1	
Butler, Pa.	27,632	3	2		1					
Butte, Mont.	43,425		3		1		3			
Chelsea, Mass.	46,192	11	2		8		1		2	
Chicopee, Mass.	29,319	7	1				1			2
Cumberland, Md.	26,074	4			9		1		1	
Danville, Ill.	32,261	6			1				2	1
Davenport, Iowa.	48,811				16		1			
Dubuque, Iowa.	39,873				1		2		1	1
East Orange, N. J.	42,458	6	3		18				2	3
Elgin, Ill.	28,203	8			4					
Everett, Mass.	39,233	9	2	1	9					
Everett, Wash.	35,486	4	1		3		4			1
Fitchburg, Mass.	41,781	10	6		13				4	
Galveston, Tex.	41,863	14								1
Green Bay, Wis.	29,333	10								
Haverhill, Mass.	48,477	10	1	1			2		6	1
Jackson, Mich.	35,363	14	2		16		1		1	1
Kalamazoo, Mich.	48,886	15	1		67		1		2	
Kenosha, Wis.	31,576	7			8				2	
Kingston, N. Y.	26,771	9			2					
Knoxville, Tenn.	38,676				2				1	
La Crosse, Wis.	31,677	7	3						2	1
Lexington, Ky.	41,097	18			3					2
Lincoln, Nebr.	46,515	11	2		1		2		1	1
Long Beach, Cal.	27,587	8			4				1	
Lynchburg, Va.	32,940	17			1		1		1	2
Madison, Wis.	30,699	1			2		5			
McKeesport, Pa.	47,521	22							1	
Medford, Mass.	26,234	3			5				1	
Montclair, N. J.	26,318	3			3				1	1
Nashua, N. H.	27,327	7	2		1					
Newburgh, N. Y.	29,603	8	1		8					1
New Castle, Pa.	41,133		1				1			
Newport, Ky.	31,927	8							1	1
Newport, R. I.	30,108	9								
Newton, Mass.	43,715	3	1		2		2			
Niagara Falls, N. Y.	37,353	7	1		3		2		5	
Norristown, Pa.	31,401	7								
Ogden, Utah.	31,404	10					1		2	2
Orange, N. J.	33,080	7					3		2	3
Pasadena, Cal.	46,450	13			6					
Perth Amboy, N. J.	41,185	4			1					
Pittsfield, Mass.	38,629	4			9				3	1
Portsmouth, Va.	39,651	15			1		2			2
Quincy, Ill.	36,798	6			2					1
Quincy, Mass.	38,136	6	1						1	2
Racine, Wis.	46,486	14	1		1		1		2	
Roanoke, Va.	43,284	14			2				3	2

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended June 30, 1917—Continued.

City.	Popula- tion as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.		
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	
From 25,000 to 50,000 inhabit- ants—Continued.											
Rock Island, Ill.	28,926	13	1		2						
San Jose, Cal.	38,902				5		5				
Steubenville, Ohio.	27,445	10									
Superior, Wis.	46,226	8	1		1				1		
Taunton, Mass.	36,283	11					3				
Topeka, Kans.	48,726	10	2		3						
Waltham, Mass.	30,570	4	1		15				1		
Watertown, N. Y.	29,894				12		1				
West Hoboken, N. J.	43,139	7	1		5		2		3		
Wheeling, W. Va.	43,377	16			1				1		
Williamsport, Pa.	33,809		1		3						
Wilmington, N. C.	29,892	19									
Winston-Salem, N. C.	31,155	15							5		
Zanesville, Ohio.	30,863	5	1		3				1		
From 10,000 to 25,000 inhabitants:											
Alton, Ill.	22,874	8			1						
Ann Arbor, Mich.	15,010	15			17		1				
Braddock, Pa.	21,685				2				1		
Brownsville, Tex.	13,163	3									
Cairo, Ill.	15,794	6	1								
Clinton, Mass.	13,075	2									
Concord, N. H.	22,669	10	2		20						
Dunkirk, N. Y.	20,743				4				1		
Galesburg, Ill.	24,276	2	2								
Harrison, N. J.	16,950				4						
Kearny, N. J.	23,539	7			1				2		
Kokomo, Ind.	20,930	8			1				5		
Long Branch, N. J.	15,395	9			5				2		
Marinette, Wis.	14,610	10					1				
Melrose, Mass.	17,445	4	3		3						
Morristown, N. J.	13,284	5					1		1		
Muscatine, Iowa.	17,500				1		1				
Nanticoke, Pa.	23,126	9									
Newburyport, Mass.	15,243	4			4						
New London, Conn.	20,985	4			7				3		
North Adams, Mass.	22,019	7			40		2		1		
Northampton, Mass.	19,926	6			10		1		1		
Plainfield, N. J.	23,805	3							2		
Pontiac, Mich.	17,524				6		6		1		
Portsmouth, N. H.	11,666				1		2				
Rocky Mount, N. C.	12,067	7							1		
Rutland, Vt.	14,831	4	1		2		1				
Sandusky, Ohio.	20,193	7									
Saratoga Springs, N. Y.	13,821	5							2		
Steelton, Pa.	15,548	5			3				2		
Wilkinsburg, Pa.	23,228	6			2		1		1		
Woburn, Mass.	15,969	6									

¹ Population Apr. 15, 1910; no estimate made.